

Certificate of Analysis

BDG Synthesis certifies that this reference material meets or exceeds the specifications stated herein.

Barry Dent

Barry R. Dent, PhD, Director 12 May 2012

Name: Testosterone Dipropionate

CAS Number: 42257-18-1

Structure:

Molecular Weight: $C_{25}H_{36}O_4 = 400.55$

Lot Number: BDG 14114.3

Appearance: Off-white, crystalline solid

Corrected Purity: 98.7 % (HPLC) - 0.1 % (methanol) = 98.6 %

Re-test Date: 12 May 2013

Storage and Handling: Temperature: refrigerate for prolonged storage; may be handled and shipped at

ambient temperature.

Humidity: not believed to be hygroscopic; may be handled in normal laboratory

atmosphere.

Light: protect from strong sunlight.

Caution: only experienced laboratory personnel should handle the material.

Avoid acidic media that may promote enolate decomposition.

Version 1 (Id468) 1/5

Phone: + 64 4 569 0520 Fax: + 64 4 569 0521 info@bdg.co.nz www.bdg.co.nz

Identity and Purity

Proton NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

Residual Solvents: a small amount of methanol (0.1 % w/w) is observed.

Impurities: no significant impurities are evident in the spectrum.

Carbon-13 NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

High-resolution Mass Spectrum (TOF MS ES+)

Found *m/z* 423.2515. C₂₅H₃₆NaO₄ [M+Na]⁺ requires *m/z* 423.2511. The deviation of 0.9 ppm is within normally accepted limits for the establishment of identity by HRMS.

HPLC

A somewhat broadened, symmetrical peak is observed (98.7 %). Note: in the absence of reference materials for preparing calibration curves, it is assumed that all peaks have the same detector response. Where possible, the conditions of analysis follow a pharmacopeial or literature method, or have been adapted from same.

Elemental Analysis

Found: C 74.96, H 9.18 %

C₂₅H₃₆O₄ Requires: C 74.96, H 9.06 %

The elemental analyses fall within generally accepted limits for establishing the molecular formula given. The results may also be taken to imply the absence of significant quantities of water or inorganic salts (which have not been elsewhere tested for because of sample size limitations).

The available quantity of custom-synthesised material is always small, and this limits the extent and type of analytical data which can be obtained. This Certificate is presented in descriptive format for use by analytical chemists who are trained in the use of custom-synthesised materials. Custom materials often contain higher levels of residual solvents and/or water, and we urge you to use the corrected purity where needed rather than the raw HPLC purity. This compound is intended for use as an analytical reference material and it is not for human administration. Structures are shown with relative stereochemistry unless otherwise specified.

The re-test date is assigned from experience gained with the material in the laboratory and/or on storage. It is not possible to perform formal storage studies because of the small amount of material available.

H-4 1.0 H

H-6

1.0 H

H-17


1.0 H

NMR


Solvent



BDG SYNTHESIS




Lot Number: BDG 14114.3




2 x CH₃



BDG SYNTHESIS



Lot Number: BDG 14114.3



BDG - Analysis of Testosterone Dipropionate


Column : Phenomenex Luna C18(2) 5um 250 x 4.6 mm Guard : Phenomenex Security Guard C18 RP 4 x 3 mm

Mobile Phase 8:92 Water : Acetonitrile

Flow Rate : 1.0 mL/min

Sample Solvent : Mobile Phase Column Temperature : 20C Injection Volume : 10 uL Detection : UV at 235 nm

Sample Name	BDG 14114.3	Instrument	AnalyticalLC01
Acquisition	12/05/2012, 14:18:01	Method (rev.)	LC10511a (8)
Sequence	BDG_12May2012e	Vial Position	92
Operator	solvation010\cerityadmin	Injection	1 of 1



Area Percent Report

Peak#	RT	Peak Height	Peak Area	Width	Area %
1	4.33 min	0.2132	1.3716	0.1011 min	0.006 %
2	6.50 min	1.5531	13.5865	0.1321 min	0.063 %
3	7.13 min	1.1498	10.7018	0.1426 min	0.050 %
4	11.30 min	16.3757	249.8938	0.2300 min	1.158 %
5	14.68 min	1067.8952	21291.5220	0.2986 min	98.660 %
6	18.89 min	0.3843	13.5949	0.4227 min	0.063 %