



BDG SYNTHESIS

Certificate of Analysis

BDG Synthesis certifies that this reference material meets or exceeds the specifications stated herein.


Barry Dent

Barry R. Dent, PhD, Director
7 June 2012

Name: Testosterone Phenylpropionate

CAS Number: 1255-49-8

Structure:



Molecular Weight: $C_{28}H_{36}O_3 = 420.58$

Lot Number: BDG 14128

Appearance: White, crystalline solid

Purity By HPLC: 99.6 %

Re-test Date: 7 June 2013

Storage and Handling:

Temperature:	refrigerate for prolonged storage; may be handled and shipped at ambient temperature.
Humidity:	not believed to be hygroscopic; may be handled in normal laboratory atmosphere.
Light:	protect from strong sunlight.
Caution:	only experienced laboratory personnel should handle the material.

Identity and Purity

Proton NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

Residual Solvents: no residual solvents are observed.

Impurities: no significant impurities are evident in the spectrum.

Carbon-13 NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

High-resolution Mass Spectrum (TOF MS ES+)

Found m/z 443.2567. $C_{28}H_{36}NaO_3$ $[M+Na]^+$ requires m/z 443.2562. The deviation of 1.1 ppm is within normally accepted limits for the establishment of identity by HRMS.

HPLC

A somewhat broadened, symmetrical peak is observed (99.6 %). Note: in the absence of reference materials for preparing calibration curves, it is assumed that all peaks have the same detector response. Where possible, the conditions of analysis follow a pharmacopeial or literature method, or have been adapted from same.

Elemental Analysis

$C_{28}H_{36}O_3$	Found:	C 80.17, H 8.84 %
	Requires:	C 79.96, H 8.63 %

The elemental analyses fall within generally accepted limits for establishing the molecular formula given. The results may also be taken to imply the absence of significant quantities of water or inorganic salts (which have not been elsewhere tested for because of sample size limitations).


The available quantity of custom-synthesised material is always small, and this limits the extent and type of analytical data which can be obtained. This Certificate is presented in descriptive format for use by analytical chemists who are trained in the use of custom-synthesised materials. Custom materials often contain higher levels of residual solvents and/or water, and we urge you to use the corrected purity where needed rather than the raw HPLC purity. This compound is intended for use as an analytical reference material and it is not for human administration. Structures are shown with relative stereochemistry unless otherwise specified.

The re-test date is assigned from experience gained with the material in the laboratory and/or on storage. It is not possible to perform formal storage studies because of the small amount of material available.




Proton NMR Spectrum of Testosterone Phenylpropionate in CDCl_3

BDG SYNTHESIS




Lot Number: BDG 14128






Carbon-13 NMR Spectrum of Testosterone Phenylpropionate in CDCl_3

BDG SYNTHESIS




Lot Number: BDG 14128



BDG - Analysis of Testosterone Phenylpropionate

Column : Phenomenex Luna C18(2) 5um 250 x 4.6 mm
 Guard : Phenomenex Security Guard C18 RP 4 x 3 mm
 Mobile Phase 15:85 Water : Acetonitrile
 Flow Rate : 1.0 mL/min
 Sample Solvent : Mobile Phase
 Column Temperature : 20C
 Injection Volume : 10 uL
 Detection : UV at 240 nm

Sample Name	BDG 14128	Instrument	AnalyticalLC01
Acquisition	07/06/2012, 13:02:57	Method (rev.)	LC10511c (4)
Sequence	BDG_07Jun2012b - Reprocessed	Vial Position	3
Operator	solvation010\cerityadmin	Injection	1 of 1



Area Percent Report

Peak#	RT	Peak Height	Peak Area	Width	Area %
1	4.08 min	0.4861	3.7112	0.1091 min	0.014 %
2	4.28 min	2.0502	11.9557	0.0900 min	0.047 %
3	5.63 min	0.9117	6.8159	0.1152 min	0.027 %
4	6.25 min	1.6185	15.9437	0.1449 min	0.062 %
5	7.44 min	1.5750	15.1516	0.1462 min	0.059 %
6	12.15 min	0.2503	5.3012	0.2671 min	0.021 %
7	13.68 min	1531.2991	25538.0754	0.2586 min	99.610 %
8	15.04 min	2.3794	41.2239	0.2741 min	0.161 %