

Certificate of Analysis

BDG Synthesis certifies that this reference material meets or exceeds the specifications stated herein.

Barry Dent

Barry R. Dent, PhD, Director 12 February 2010

Name: Atorvastatin Calcium

CAS Number: 344423-98-9

Structure:

Molecular Weight: $2C_{33}H_{34}FN_2O_5 \cdot Ca = 1155.34$

Lot Number: BDG 4182

Appearance: Off-white, crystalline solid

• Custom synthesis of analytical reference standards, metabolites, stable isotope labelled compounds

Corrected Purity: 97.3 % (HPLC) - 4.6 % (water) = 92.7 %

Re-test Date: 12 February 2011

Storage and Handling: Temperature: refrigerate for prolonged storage; may be handled and shipped at

ambient temperature.

Humidity: may be hygroscopic; store desiccated; recommended to determine

water content periodically.

Light: protect from strong sunlight.

Caution: only experienced laboratory personnel should handle the material.

Version 1 (Id131) 1/5

Phone: + 64 4 569 0520 info

+6445690521

info@bdg.co.nz www.bdg.co.nz

Identity and Purity

Proton NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

Residual Solvents: no residual solvents are observed.

Impurities: no significant impurities are evident in the spectrum.

Carbon-13 NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

High-resolution Mass Spectrum (FAB-)

Found m/z 1153.4453. $C_{66}H_{67}CaF_2N_4O_{10}$ [M-H] requires m/z 1153.4451. The deviation of 0.2 ppm is within normally accepted limits for the establishment of identity by HRMS.

HPLC

A sharp, symmetrical peak is observed (97.3 %). Note: in the absence of reference materials for preparing calibration curves, it is assumed that all peaks have the same detector response. Where possible, the conditions of analysis follow a pharmacopeial or literature method, or have been adapted from same.

Elemental Analysis

Found: C 66.58, H 6.11, N 4.85 %

2C₃₃H₃₄FN₂O₅·Ca·2.0H₂O Requires: C 66.54, H 6.09, N 4.70 % 2C₃₃H₃₄FN₂O₅·Ca Requires: C 68.61, H 5.93, N 4.85 %

The elemental analyses fall substantially outside those expected for anhydrous material; the presence of water is reasonably expected from the method of purification and/or the type of material, and the "best-fit" hydrated molecular formula is given.

Karl-Fischer Analysis

Found: H₂O 4.6 %

2C₃₃H₃₄FN₂O₅·Ca·2.0H₂O Requires: H₂O 3.0 %


Of necessity, only a small sample could be used and only a single or duplicate analysis performed. We are unable to state what the errors in the reported water content are, but recommend that the result be used, as the best available, when determining corrected purity.

The available quantity of custom-synthesised material is always small, and this limits the extent and type of analytical data which can be obtained. This Certificate is presented in descriptive format for use by analytical chemists who are trained in the use of custom-synthesised materials. Custom materials often contain higher levels of residual solvents and/or water, and we urge you to use the corrected purity where needed rather than the raw HPLC purity. This compound is intended for use as an analytical reference material and it is not for human administration. Structures are shown with relative stereochemistry unless otherwise specified.


The re-test date is assigned from experience gained with the material in the laboratory and/or on storage. It is not possible to perform formal storage studies because of the small amount of material available.




BDG SYNTHESIS







Lot Number: BDG 4182




BDG - Analysis of Atorvastatin calcium salt

Column : Phenomenex Luna C18(2) 5um 250 x 4.6 mm Guard : Phenomenex Security Guard C18 RP 4 x 3 mm Mobile Phase : 35:65 0.1% Acetic Acid : Acetonitrile

Flow Rate: 1.0 mL/min Sample Solvent: Mobile Phase Column Temperature: 20C Injection Volume: 10 uL Detection: UV at 250 nm

Sample Name	BDG 4182	Instrument	AnalyticalLC01
Acquisition	12/02/2010, 08:47:12	Method (rev.)	LC10123f (2)
Sequence	BDG_12Feb2010a	Vial Position	1
Operator	solvation010\cerityadmin	Injection	1 of 1



Area Percent Report

Peak#	RT	Peak Height	Peak Area	Width	Area %
. 1	4.08 min	1.2940	12.5965	0.1376 min	0.087 %
2	4.62 min	1.9794	14.1616	0.1095 min	0.098 %
3	5.72 min	1.4596	14.7367	0.1518 min	0.102 %
4	6.26 min	1405.7819	14017.1895	0.1523 min	97.286 %
5	7.61 min	0.5856	5.9126	0.1558 min	0.041 %
6	8.10 min	3.7737	58.3178	0.2523 min	0.405 %
7	8.49 min	1.0611	13.7905	0.1956 min	0.096 %
8	9.97 min	5.1570	74.7898	0.2192 min	0.519 %
. 9	10.76 min	4.7734	67.6945	0.2195 min	0.470 %
10	11.76 min	2.1728	31.2914	0.2220 min	0.217 %
11	12.20 min	1.0585	18.2060	0.2587 min	0.126 %
12	17.28 min	3.7818	79.4740	0.3232 min	0.552 %