

# **Certificate of Analysis**

BDG Synthesis certifies that this reference material meets or exceeds the specifications stated herein.

Barry Dent

**Structure:** 

Barry R. Dent, PhD, Director 1 August 2012

Name: Valacyclovir-d<sub>4</sub> HCl

CAS Number: 124832-26-4 (unlabelled free base)

CAS Number: 124652-20-4 (umadefied free base

**Molecular Weight:**  $C_{13}H_{16}D_4N_6O_4 \cdot HCl = 364.82$ 

**Lot Number:** BDG 12554

**Appearance:** White, crystalline solid

**Corrected Purity:** 99.7 % (HPLC) - 8.6 % (water) = 91.1 %

**Isotopic Purity:** Under 0.5 % d<sub>0</sub> **Re-test Date:** 1 August 2017

Storage and Handling: Temperature: refrigerate for prolonged storage; may be handled and shipped at

ambient temperature.

Humidity: not believed to be hygroscopic; may be handled in normal laboratory

atmosphere.

Light: protect from strong sunlight.

Caution: only experienced laboratory personnel should handle the material.

# **Identity and Purity**

# **Proton NMR Spectrum**

Identity: the signals are consistent with the proposed structure and in accord with literature where available. Isotopic Labelling: signals at the sites of deuteration are absent, compared with the spectrum of unlabelled material, indicating clean deuteration.

Residual Solvents: no residual solvents are observed.

Impurities: no significant impurities are evident in the spectrum.

# **Carbon-13 NMR Spectrum**

Identity: the signals are consistent with the proposed structure and in accord with literature where available. Isotopic Labelling: signals at the sites of deuteration have collapsed to small multiplets compared with the spectrum of unlabelled material, indicating clean deuteration.

### **High-resolution Mass Spectrum (ESI+)**

Found *m/z* 329.1873. C<sub>13</sub>H<sub>17</sub>D<sub>4</sub>N<sub>6</sub>O<sub>4</sub> [M+H]<sup>+</sup> requires *m/z* 329.1875. The deviation of 0.6 ppm is within normally accepted limits for the establishment of identity by HRMS. No signal for d<sub>0</sub> material was seen (detection limit about 0.5 %).

#### **HPLC**

A sharp, symmetrical peak is observed (99.7 %). Note: in the absence of reference materials for preparing calibration curves, it is assumed that all peaks have the same detector response. Where possible, the conditions of analysis follow a pharmacopeial or literature method, or have been adapted from same.

#### **Elemental Analysis**

Found: C 39.08, H 5.23, D 2.02, N 21.09 %

C<sub>13</sub>H<sub>16</sub>D<sub>4</sub>N<sub>6</sub>O<sub>4</sub>·HCl·1.9H<sub>2</sub>O Requires: C 39.13, H 5.25, D 2.02, N 21.06 %, H<sub>2</sub>O 8.58 %


C<sub>13</sub>H<sub>16</sub>D<sub>4</sub>N<sub>6</sub>O<sub>4</sub>·HCl Requires: C 42.80, H 4.70, D 2.21, N 23.04 %

The elemental analyses fall substantially outside those expected for anhydrous material; the presence of water is reasonably expected from the method of purification and/or the type of material, and the "best-fit" hydrated molecular formula is given. In the absence of a Karl-Fischer water analysis, we recommend that the "best-fit" water content be used when determining corrected purity.

The available quantity of custom-synthesised material is always small, and this limits the extent and type of analytical data which can be obtained. This Certificate is presented in descriptive format for use by analytical chemists who are trained in the use of custom-synthesised materials. Custom materials often contain higher levels of residual solvents and/or water, and we urge you to use the corrected purity where needed rather than the raw HPLC purity. This compound is intended for use as an analytical reference material and it is not for human administration. Structures are shown with relative stereochemistry unless otherwise specified.


The re-test date is assigned from experience gained with the material in the laboratory and/or on storage. It is not possible to perform formal storage studies because of the small amount of material available.








# **BDG SYNTHESIS**






# BDG - Analysis of Valacyclovir-d4 HCI

Column : Phenomenex Luna C18(2) 5um 250 x 4.6 mm
Guard : Phenomenex Security Guard C18 RP 4 x 3 mm
Mobile Phase : 70:30 IP : Acetonitrile
IP = 38 mM Sodium diHydrogen Phosphate + 3.5 mM Sodium Dodecylsulphate pH=3.0 ( H3PO4 )

Flow Rate : 1.0 mL/min Sample Solvent : Mobile Phase Column Temperature: 25C Injection Volume : 10 uL Detection : UV at 254 nm

Sample Name	BDG 12554	Instrument	AnalyticalLC01
Acquisition	01/08/2012, 17:14:20	Method (rev.)	LC10385a ( 5 )
Sequence	BDG_01Aug2012d - Reprocessed	Vial Position	2
Operator	solvation010\cerityadmin	Injection	1 of 1



# **Area Percent Report**

Peak#	RT	Peak Height	Peak Area	Width	Area %
1	6.62 min	0.3155	3.2417	0.1499 min	0.024 %
2	8.58 min	1143.6620	13606.1357	0.1828 min	99.738 %
3	10.72 min	0.8455	11.6284	0.2045 min	0.085 %
4	11.17 min	0.8910	14.7287	0.2409 min	0.108 %
5	13.13 min	0.3734	6.1745	0.2069 min	0.045 %