



BDG SYNTHESIS

Certificate of Analysis

BDG Synthesis certifies that this reference material meets or exceeds the specifications stated herein.


Neil Beare

Neil Beare, PhD, Director
13 May 2015

Name: 7-Hydroxycannabidivarin-d₇

CAS Number: none

Structure:



Molecular Weight: C₁₉H₁₉D₇O₃ = 309.45

Lot Number: BDG 16441.2

Appearance: White, crystalline solid

Corrected Purity: 99.4 % (HPLC) - 0.7 % (diethyl ether) = 98.7 %

Isotopic Purity: Under 0.5 % d₀

Re-test Date: 13 May 2020

Storage and Handling:

Temperature:	refrigerate for prolonged storage; may be handled and shipped at ambient temperature.
Humidity:	not believed to be hygroscopic; may be handled in normal laboratory atmosphere.
Light:	protect from strong sunlight.
Caution:	only experienced laboratory personnel should handle the material.

Identity and Purity

Proton NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

Isotopic Labelling: signals at the sites of deuteration are greatly diminished, compared with what would be expected for unlabelled material, indicating clean deuteration.

Residual Solvents: a small amount of diethyl ether (0.7 % w/w) and a trace (under 0.1 % w/w) of pentane are observed.

Impurities: a trace of an unidentified impurity is seen in the baseline.

Carbon-13 NMR Spectrum

Identity: the signals are consistent with the proposed structure and in accord with literature where available.

Isotopic Labelling: signals at the sites of deuteration have collapsed to small multiplets compared with what would be expected for unlabelled material, indicating clean deuteration.

High-resolution Mass Spectrum (ESI+)

Found m/z 332.2217. $C_{19}H_{19}D_7NaO_3$ $[M+Na]^+$ requires m/z 332.2219. The deviation of 0.6 ppm is within normally accepted limits for the establishment of identity by HRMS. No signal for d_0 material was seen (detection limit about 0.5 %). A signal was seen for d_6 material (approximately 17 %).

HPLC

A sharp, symmetrical peak is observed (99.4 %). Note: in the absence of reference materials for preparing calibration curves, it is assumed that all peaks have the same detector response. Where possible, the conditions of analysis follow a pharmacopeial or literature method, or have been adapted from same.

Elemental Analysis

	Found:	C 73.74, H 6.25, D 4.60 %
$C_{19}H_{19}D_7O_3$	Requires:	C 73.74, H 6.19, D 4.56 %

The elemental analyses fall within generally accepted limits for establishing the molecular formula given. The results may also be taken to imply the absence of significant quantities of water or inorganic salts (which have not been elsewhere tested for because of sample size limitations).


The available quantity of custom-synthesised material is always small, and this limits the extent and type of analytical data which can be obtained. This Certificate is presented in descriptive format for use by analytical chemists who are trained in the use of custom-synthesised materials. Custom materials often contain higher levels of residual solvents and/or water, and we urge you to use the corrected purity where needed rather than the raw HPLC purity. This compound is intended for use as an analytical reference material and it is not for human administration. Structures are shown with relative stereochemistry unless otherwise specified.

The re-test date is assigned from experience gained with the material in the laboratory and/or on storage. It is not possible to perform formal storage studies because of the small amount of material available.




Proton NMR Spectrum of 7-Hydroxycannabidivarin-d₇ in DMSO-d₆

BDG SYNTHESIS




Lot Number: BDG 16441.2






Carbon-13 NMR Spectrum of 7-Hydroxycannabidivarin-d₇ in DMSO-d₆

BDG SYNTHESIS




Lot Number: BDG 16441.2



BDG - Analysis of 7-Hydroxycannabidiol-d7

Column : Phenomenex Luna C18(2) 5 um 250 x 4.6 mm
 Guard : Phenomenex Security Guard C18 RP 4 x 3 mm
 Mobile Phase : 45:55 Water : Acetonitrile
 Flow Rate : 1.0 mL/min Column Temperature : 20 C Detection : UV 230 nm
 Sample Solvent : Mobile Phase Injection Volume : 10 uL

Sample Name	BDG 16441.2	Instrument	AnalyticalLC01
Acquisition	13/05/2015, 17:28:54	Method (rev.)	LC10635j (2)
Sequence	BDG_13May2015a	Vial Position	37
Operator	solvation010\cerityadmin	Injection	1 of 2



Area Percent Report

Peak#	RT	Peak Height	Peak Area	Width	Area %
1	3.92 min	0.5257	4.3196	0.1099 min	0.028 %
2	7.02 min	1431.8508	15108.9409	0.1631 min	99.418 %
3	7.61 min	3.4610	52.7271	0.2117 min	0.347 %
4	11.13 min	0.2549	4.2334	0.2118 min	0.028 %
5	13.91 min	0.9963	21.0643	0.2707 min	0.139 %
6	19.88 min	0.3109	6.1647	0.2433 min	0.041 %